



1 / 2 2

Fig. 1




2 / 2 2

*Fig. 2A*



*Fig. 2B*



3 / 2 2

Fig. 3A




Fig. 3B




Fig. 3C




Fig. 3D






FIG. 3A-3D

4 / 2 2


*Fig. 4A*




*Fig. 4B*




*Fig. 4C*



*Fig. 4D*




*Fig. 4E*




5 / 2 2

Fig. 5




6 / 2 2

Fig. 6




7 / 22

Fig. 7



8 / 2 2


Fig. 8






9 / 2 2


*Fig. 9A*





*Fig. 9B*



*Fig. 9C*









12 / 22

Fig. 12





*F i g. 13*




1 4 / 2 2

*Fig. 14*



15 / 22

Fig. 15



16 / 22

Fig. 16





Fig. 17





17 / 22

Fig. 18







Fig. 19



5

Figure 1 consists of 12 micrographs arranged in a vertical column, labeled (a) through (l). The sequence illustrates the early stages of embryonic development. (a) shows a single cell. (b) through (d) show the cell dividing into two, four, and eight cells respectively. (e) through (g) show the formation of a morula, a solid ball of cells. (h) through (l) show the development of a blastocyst, with a fluid-filled cavity (blastocoel) forming within the cell mass.



19/22

Fig. 21







Fig. 22



20 / 22

*F i g. 23*



09:00:00

21 / 22

Fig. 24




FIG. 24

22 / 22

Fig. 25

